

AIR COOLER

E- CATALOGUE

SUMMER RANGE 2022





Scan QR code from your phone or click here to visit Godrej.com & view a 360° product demo

GODREJ EDGE COOLBLAST
INDIA'S FIRST AIR COOLER WITH
AC WALA INVERTER TECHNOLOGY
AB CHILL BHI ZYADA BILL BHI ADHAA




AC WALA INVERTER TECHNOLOGY

UP TO 50%

POWER SAVING*




INVERTER TECHNOLOGY - BLDC FAN MOTOR



COPPER-WIRED




FRICTION-LESS PERFORMANCE



MICROPROCESSOR-ENABLED

INVERTER SERIES



99.94%
reduction in
Bacteria
&
Fungus*



AC WALA INVERTER TECHNOLOGY

MODEL CODE:

CL EDGE CB D 107 D RITK5

CL EDGE CB D 87 D RITK4

CL EDGE CB D 87 R RIT4


CAPACITY (Up to Brim Level) :
87 LITRES | 67 LITRES




AUTOCOOL TECHNOLOGY



QUICK CHILL TECHNOLOGY



ICE DRIP TECHNOLOGY



TURBO MODE




SLEEP MODE (TIMER)



MEMORY BACKUP



THICK HONEYCOMB



18" AERODYNAMIC FAN BLADES



REMOTE CONTROL



ANTI-BACTERIAL TANK



IONISER



HUMIDITY CONTROL




UV-PROTECTED BODY



LOW WATER ALARM




THERMAL OVERLOAD PROTECTION




DRY RUN PROTECTION



WIDE OPERATING VOLTAGE RANGE




COLLAPSIBLE LOUVRES



AUTO DRAIN



AUTO-FILL



TEMPERATURE DISPLAY



SILENT OPERATION



BLDC FAN MOTOR WARRANTY

*Features may vary from model to model.

Disclaimer: Claim based on the Quantitative Assessment of antimicrobial activity carried out by an independent third party testing agency as per JIS Z 2801 :2010 method, against certain bacteria and funguses, on the plastic part of Godrej Air Cooler's Water Tank, under standard test lab condition.

INVERTER SERIES



WINE RED




DARK GREY

Feature	Units	CL EDGE CB D 107 D RITK5	CL EDGE CB D 87 D RITK4	CL EDGE CB D 87 R RIT4
Water Tank Capacity -Upto Brim Level	Ltrs	87	67	67
Cooling Media - Honeycomb	mm	50mm	35mm	35mm
Air Delivery	CMH	4100	4100	4100
Cooling Capacity - Cools room sizes up to	m ²	50	50	50
Motor Rated Input Power	Watts	105W	105W	105W
Control Panel		7 Function	7 Function	5 Function
Fan Size	Inches	18"	18"	18"
Dual Tone (Cladding)		Yes	Yes	No
Net Product Dimensions (WxDxH)		68.00 cm x 54.10 cm x 1.215 m	68.00 cm x 54.10 cm x 1.145 m	68.00 cm x 54.10 cm x 1.145 m
Net Weight	kg	19.70	19.30	19.00
BLDC Fan Motor Warranty		2 Years	2 Years	2 Years
Comprehensive Warranty		1 Year	1 Year	1 Year

ELECTRONIC SERIES



Scan QR code from your phone or click here to visit Godrej.com & view a 360° product demo



99.94% reduction in Bacteria & Fungus*

MODEL CODE:

- CL EDGE CB D 107 D RFTJ5
- CL EDGE CB D 87 D RFTJ4
- CL EDGE CB D 107 D RFT5
- CL EDGE CB D 87 D RFT4
- CL EDGE CB D 87 R RFT4
- CL EDGE CB D 87 D QFT4

CAPACITY (Up to Brim Level) :
87 LITRES | 67 LITRES




QUICK CHILL TECHNOLOGY



AUTO SOAK TECHNOLOGY



ICE DRIP TECHNOLOGY



TURBO MODE




SLEEP MODE (TIMER)



MEMORY BACKUP



THICK HONEYCOMB



18" AERODYNAMIC FAN BLADES



REMOTE CONTROL



ANTI-BACTERIAL TANK



ECO MODE



HUMIDITY CONTROL




UV-PROTECTED BODY




LOW WATER ALARM




THERMAL OVERLOAD PROTECTION




DRY RUN PROTECTION



WIDE OPERATING VOLTAGE RANGE




COLLAPSIBLE LOUVRES



AUTO DRAIN



AUTO-FILL



TEMPERATURE DISPLAY



SILENT OPERATION


*Features may vary from model to model.

Disclaimer: Claim based on the Quantitative Assessment of antimicrobial activity carried out by an independent third party testing agency as per JIS Z 2801 :2010 method, against certain bacteria and funguses, on the plastic part of Godrej Air Cooler's Water Tank, under standard test lab condition.

MECHANICAL SERIES



Scan QR code from your phone or click here to visit Godrej.com & view a 360° product demo



99.94% reduction in Bacteria & Fungus*

MODEL CODE:

- CL EDGE CB D 107 D BFT5
- CL EDGE CB D 87 D BFT4
- CL EDGE CB D 107 R BFN5
- CL EDGE CB D 87 R BFN4

CAPACITY (Up to Brim Level) :
87 LITRES | 67 LITRES




ICE DRIP TECHNOLOGY



TURBO MODE



THICK HONEYCOMB



18" AERODYNAMIC FAN BLADES



ANTI-BACTERIAL TANK



HUMIDITY CONTROL



UV-PROTECTED BODY




THERMAL OVERLOAD PROTECTION




WIDE OPERATING VOLTAGE RANGE



COLLAPSIBLE LOUVRES



AUTO DRAIN



AUTO-FILL



SILENT OPERATION

*Features may vary from model to model.


Disclaimer: Claim based on the Quantitative Assessment of antimicrobial activity carried out by an independent third party testing agency as per JIS Z 2801 :2010 method, against certain bacteria and fungi, on the plastic part of Godrej Air Cooler's Water Tank, under standard test lab condition.

MECHANICAL SERIES



BLUE

Also Available in



WINE RED



PURPLE

Also Available in



LIGHT GREY

Feature	Units	CL EDGE CB D 107 D BFT5	CL EDGE CB D 87 D BFT4	CL EDGE CB D 107 R BFN5	CL EDGE CB D 87 R BFN4
Water Tank Capacity - Upto Brim Level	Ltrs	87	67	87	67
Cooling Media - Honeycomb	mm	50mm	35mm	50mm	35mm
Air Delivery	CMH	4100	4100	3900	3900
Cooling Capacity - Cools room sizes up to	m ²	50	50	47	47
Motor Rated Input Power	Watts	150W	150W	150W	150W
Control Panel		3 Knob	3 Knob	3 Knob	3 Knob
Fan Size	Inches	18"	18"	18"	18"
Dual Tone (Cladding)		Yes	Yes	No	No
Net Product Dimensions (WxDxH)		68.00 cm x 54.10 cm x 1.215 m	68.00 cm x 54.10 cm x 1.145 m	68.00 cm x 54.10 cm x 1.215 m	68.00 cm x 54.10 cm x 1.145 m
Net Weight	kg	19.70	19.30	19.50	19.00
Comprehensive Warranty		1 Year	1 Year	1 Year	1 Year



SPECIFICATION TABLE

Feature	INVERTER				ELECTRONIC				MECHANICAL					
	CL EDGE CB D 107 D RITK5	CL EDGE CB D 87 D RITK4	CL EDGE CB D 87 R RIT4	CL EDGE CB D 107 D RIT45	CL EDGE CB D 87 D RITJ4	CL EDGE CB D 107 D RIT5	CL EDGE CB D 87 D RIT4	CL EDGE CB D 87 D RIT4	CL EDGE CB D 107 D RIT5	CL EDGE CB D 87 D RIT4	CL EDGE CB D 107 D RIT5	CL EDGE CB D 87 D RIT4	CL EDGE CB D 107 R BFN5	CL EDGE CB D 87 R BFN4
Cooling Efficiency	Cooling Media - Honeycomb (mm)	50mm	35mm	35mm	50mm	35mm	50mm	35mm	50mm	35mm	50mm	35mm	50mm	35mm
	Speed Selection - L,M,H,Turbo	L,M,H,T	L,M,H,T	L,M,H,T	L,M,H,T	L,M,H,T	L,M,H,T	L,M,H,T	L,M,H,T	L,M,H,T	L,M,H,T	L,M,H,T	L,M,H	L,M,H
	AutoCool Technology	Y	Y	N	N	N	N	N	N	N	N	N	N	N
	Quick Chill Technology	Y	Y	N	Y	Y	N	N	N	N	N	N	N	N
	Auto Soak Technology	N	N	N	Y	Y	N	N	N	N	N	N	N	N
	Ice-drip Technology	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
	Ice Chamber	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
	Air Delivery (Cubic Meter per Hour)	4100	4100	4100	4100	4100	4100	4100	4100	4100	4100	4100	3900	3900
	Humidity Controller	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
	Cooling Capacity - Cools room sizes up to (Square meter)	50	50	50	50	50	50	50	50	50	50	47	47	47
Energy Efficiency	Air Deflection	4 Way	4 Way	4 Way	4 Way	4 Way	4 Way	4 Way	4 Way	4 Way	4 Way	4 Way	4 Way	4 Way
	Wide Angle Air Throw (in Degrees)	120	120	120	120	120	120	120	120	120	120	120	120	120
	Auto Swing	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
	Inverter Technology	Y	Y	Y	N	N	N	N	N	N	N	N	N	N
	Works on Inverter	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
	Motor Rated Input Power (W)	105W	105W	105W	150W	150W	150W	150W	150W	150W	150W	150W	150W	150W
	Sleep Mode (Timer)	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
	Remote Control	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	N	N
	Water Level Indicator	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
	Cord Winding Station	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Convenience	Auto Fill System	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
	Auto Drain System	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
	Eco Mode	N	N	N	Y	Y	Y	Y	Y	Y	Y	Y	N	N
	Low Water Alarm	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	N	N
	Memory Back up	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	N	N
	Auto Display off function	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	N	N
	Castor Wheels with breaks	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
	Temperature Display	Y	Y	Y	Y	Y	N	Y	Y	Y	Y	Y	N	N
	Ionizer	Y	Y	Y	N	N	N	N	N	N	N	N	N	N
	Anti-Bacterial Tank	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	N	N
Safety & Durability	Fully Collapsible Louvers	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
	Water Purification Net	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
	Dry Run Protection	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	N	N
	Thermal Overload (Pump/Motor)	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
	UV Protected Body	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	N	N
	Comprehensive + Fan Motor Warranty	1+1	1+1	1+1	1	1	1	1	1	1	1	1	1	1
	High Voltage Protection	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
	Low Voltage Startability	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
	Control Panel	7 Function	7 Function	5 Function	7 Function	7 Function	5 Function	5 Function	5 Function	5 Function	5 Function	3 Knob	3 Knob	3 Knob
	Tank Capacity (Ltrs) Upto Brim Level	87	67	67	87	67	87	67	67	67	67	87	67	87
Technical	Fan Size (Inches)	18"	18"	18"	18"	18"	18"	18"	18"	18"	18"	18"	18"	18"
	No. of fan blades	3	3	3	3	3	3	3	3	3	3	3	3	3
	Dual Tone (Cladding)	Y	Y	Y	Y	Y	Y	N	Y	Y	Y	N	N	N
	Product Dimensions Net (WxDxH) Without Packaging	68,00 cm x 54,10cm x 1,215m	68,00 cm x 54,10cm x 1,145m	68,00 cm x 54,10cm x 1,145m	68,00 cm x 54,10cm x 1,215m	68,00 cm x 54,10cm x 1,145m	68,00 cm x 54,10cm x 1,215m	68,00 cm x 54,10cm x 1,145m	68,00 cm x 54,10cm x 1,145m	68,00 cm x 54,10cm x 1,145m	68,00 cm x 54,10cm x 1,145m	68,00 cm x 54,10cm x 1,215m	68,00 cm x 54,10cm x 1,145m	68,00 cm x 54,10cm x 1,145m
	Net Weight (Kg)	19,70	19,30	19,00	19,70	19,30	19,70	19,30	19,00	19,30	19,00	19,30	19,50	19,00
	Gross Weight (Kg)	24,40	23,30	23,00	24,40	23,30	24,40	23,30	23,00	23,30	23,00	24,40	24,20	23,00
Colour Variants	Wine Red	Wine Red	Dark Grey	Purple	Purple	Dark Grey	Dark Grey	Light Grey	Dark Grey	Dark Grey	Wine Red	Wine Red	Light Grey	Light Grey