

64 years
of thoughtful
appliances

Godrej

APPLIANCES
THINGS MADE THOUGHTFULLY

HEAVY-DUTY COOLING WITH 99.9%+ VIRUS STERILIZATION*

NEW

2022
SERIES



T
SERIES



99.9%+ VIRUS
STERILIZATION*



R290 / R32
ECO-FRIENDLY
REFRIGERANT



ELECTRONIC
EXPANSION
VALVE



ADVANCED
TWIN ROTARY
COMPRESSOR
TECHNOLOGY



HEAVY DUTY
COOLING IN
HARSH SUMMER

ECO FRIENDLY TECHNOLOGIES

www.godrej.com/appliances

GodrejAppliances

GodrejAppliance

GodrejAppliance

*Virus reduction measured on Nano Coated Filter surface by independent laboratory.


		T SERIES - R32			T SERIES - R290	
	MODEL NO	GIC 12TTC3-W	GIC 18TTC3-W	GIC 18TTC5-W	GIC 18TGC3-W	GIC 12TGC5-W
PERFORMANCE PARAMETERS	(RATED) VOLTAGE / FREQUENCY / PHASE	230V/50 Hz/1 Phase	230V/50 Hz/1 Phase	230V/50 Hz/1 Phase	230V/50 Hz/1 Phase	230V/50 Hz/1 Phase
	COOLING CAPACITY IN WATTS / NOMINAL CAPACITY IN Tr.	3500 w / 1 Tr.	5000 w / 1.5 Tr.	5100 w / 1.5 Tr.	5100 w / 1.5 Tr.	3450 w / 1 Tr.
	POWER INPUT IN WATTS	1175	1740	1510	1810	960
	ISEER (STAR RATING)	3.6 (3 Star)	3.7 (3 Star)	4.7 (5 Star)	3.74 (3 Star)	4.57 (5 Star)
	ELECTRICITY CONSUMPTION (1600 HOURS) UNITS PER YEAR	752.51	1046.29	840.2	1056.34	584.46
	RUNNING CURRENT (AMPS)	5.3	7.6	6.9	8	4.5
	AIR FLOW VOLUME (DRY CFM)	353.15	529.7	676.9	576.81	353.15
	NOISE LEVEL INDOOR (HIGH/ MEDIUM / LOW) in db(A)	42/40/39	46/43/40	46/43/40	42/40/39	42/40/39
FEATURES	MODES	COOL/AUTO/DRY/FAN/SLEEP/ECO/TURBO	COOL/AUTO/DRY/FAN/SLEEP/ECO/TURBO	COOL/AUTO/DRY/FAN/SLEEP/ECO/TURBO	COOL/AUTO/DRY/FAN/SLEEP/ECO/TURBO	COOL/AUTO/DRY/FAN/SLEEP/ECO/TURBO
	TIMER ON / OFF	YES	YES	YES	YES	YES
	HORIZONTAL LOUVER / VERTICAL SWING	YES	YES	YES	YES	YES
	AUTO RESTART WITH MEMORY FUNCTION	YES	YES	YES	YES	YES
	HYGIENE+ / SELF CLEAN	YES	YES	YES	YES	YES
	ANTI FREEZE THERMOSTAT	YES	YES	YES	YES	YES
	SELF DIAGNOSIS	YES (Error Codes)	YES (Error Codes)	YES (Error Codes)	YES (Error Codes)	YES (Error Codes)
	DISPLAY IN IDU	HIDDEN DISPLAY	HIDDEN DISPLAY	HIDDEN DISPLAY	HIDDEN DISPLAY	HIDDEN DISPLAY
	FILTER CONFIGURATION	ANTI DUST + ACTIVE CARBON + ANTI VIRAL NANO COATED	ANTI DUST + ACTIVE CARBON + ANTI VIRAL NANO COATED	ANTI DUST + ACTIVE CARBON + ANTI VIRAL NANO COATED	ANTI DUST + ACTIVE CARBON + ANTI VIRAL NANO COATED	ANTI DUST + ACTIVE CARBON + ANTI VIRAL NANO COATED
	EVAPORATOR FINS	HYDROPHILIC BLUE FINS	HYDROPHILIC BLUE FINS	HYDROPHILIC BLUE FINS	HYDROPHILIC BLUE FINS	HYDROPHILIC BLUE FINS
	CONDENSER FINS	COPPER CONDENSER WITH BARE FINS	COPPER CONDENSER WITH ANTI CORROSIVE BLUE FINS	COPPER CONDENSER WITH ANTI CORROSIVE BLUE FINS	COPPER CONDENSER WITH ANTI CORROSIVE BLUE FINS	COPPER CONDENSER WITH ANTI CORROSIVE BLUE FINS
	EXPANSION DEVICE IN ODU	CAPILLARY	CAPILLARY	EEV	CAPILLARY	CAPILLARY
DIMENSIONS, WEIGHT & INPUT POWER SUPPLY	FRONT PANEL COLOUR	WHITE	WHITE	WHITE	WHITE	WHITE
	IDU DIMENSION (W X H X D) cm	85 x 28.9 x 21.8	97 X 30 X 23.5	97 X 30 X 23.5	97 X 30 X 23.5	85 x 28.9 x 21.8
	INPUT POWER SUPPLY	INDOOR UNIT	INDOOR UNIT	INDOOR UNIT	INDOOR UNIT	INDOOR UNIT
	NET WEIGHT IDU (Kg)	10.2	11.50	11.50	11.50	10.00
	ODU DIMENSION (W X H X D) cm	78 x 54.5 x 32	78 X 54.5 X 32	85.8 X 59.2 X 32	85.8 X 59.2 X 32	78 x 54.5 x 32
	NOISE LEVEL OUTDOOR in db(A)	60	64	64	64	64
	NET WEIGHT ODU (Kg)	25.4	25	28.5	28.5	26
COMPRESSOR	COMPRESSOR TYPE	ROTARY	ROTARY	ROTARY	TWIN ROTARY	TWIN ROTARY
	COMPRESSOR WARRANTY	10 YEAR	10 YEAR	10 YEAR	10 YEAR	10 YEAR
	ACOUSTIC JACKET ON COMPRESSOR	YES	YES	YES	YES	YES
REFRIGERANT & AMBIENT OPERATIONS	REFRIGERANT	R32	R32	R32	R290	R290
	MAX AMBIENT TEMP (COOLING)°C	52	52	52	52	52
TUBE SIZE & PIPING CAPABILITY	SUCTION TUBE SIZE OUTER DIAMETER INCH (mm)	3/8" (9.52)	1/2" (12.7)	1/2" (12.7)	3/8" (9.52)	1/2" (12.70)
	LIQUID TUBE SIZE OUTER DIAMETER INCH (mm)	1/4" (6.35)	1/4" (6.35)	1/4" (6.35)	1/4" (6.35)	1/4" (6.35)
	MAX PIPING CAPABILITY TOTAL (m)	12	15	25	25	25
	MAX PIPING CAPABILITY VERTICAL (m)	7	10	10	10	10
	REFRIGERANT ADDITIONAL CHARGE BEYOND 4m (g/m)	30	30	30	6	6
INSTALLATION KIT	COPPER PIPE (m)	3	3	3	3	3
	INTER CONNECTING CABLE (m)	3.5	3.5	3.5	3.5	3.5




99.9%+ VIRUS
STERILIZATION#




R290 / R32 ECO-FRIENDLY
REFRIGERANT




ELECTRONIC
EXPANSION VALVE



ADVANCED TWIN ROTARY
COMPRESSOR TECHNOLOGY



HEAVY DUTY COOLING IN
HARSH SUMMER



COPPER CONDENSER
& CONNECTING PIPE



ANTI-CORROSIVE
COATING



SILENT
OPERATION



ON INVERTER
COMPRESSOR

Rated **1** IN
AFTER-SALES
SERVICE**

Godrej smart care
PROFESSIONALS AT YOUR CALL

WhatsApp 'HI'
on 9321665511
24 X 7 CALL CENTRE,
VISIT UP TO 9 PM,
WEEKEND SERVICE



Protection of Environment: This product contains recyclable materials. Do not dispose this product/packaging material as unsorted municipal waste. Please call: 1800 209 5511 for applicable buy back arrangement or visit: www.godrej.com/godrej-appliances/support-centre for details about Godrej Appliances authorised collection points.

www.godrej.com/appliances

GodrejAppliances

GodrejAppliance

GodrejAppliance

#Virus reduction measured on Nano Coated Filter surface by independent laboratory. **Rated best in overall satisfaction for after-sales service in an independent consumer research (2019, 2018)